Comp 388/488 - Game Design and Development

Spring Semester 2019 - Week 11

Dr Nick Hayward

Games and dramatic elements

examples of premise in games

Space Invaders

- classic example of a shoot-em up game
- simple premise for this game
 - easy to extrapolate and apply to game's mechanics, gameplay, and challenge
- game is set on a planet currently being attacked by advancing aliens
- game's protagonist is responsible for fighting off these aliens and saving the planet
- game will start as the aliens start advancing down the screen
 - and the player starts firing their weapon...

Diablo

- first released in 1996 by Blizzard Entertainment
 - Diablo III available for latest consoles &c.
- more detailed premise for this game
- allows the player to act out the role of a wandering warrior
- located in a town called Tristram
- the town has been attacked and ravaged by Diablo
- player is acting in reponse to a call of help from the people of this town
 - who need the player to defeat Diablo and his army of the undead
- army is located in the dungeon beneath the town's church
- game will start as the player accepts the town's proposal
- the game leads to a final confrontation with Diablo in Hell

example

Diablo III - console

Games and development

quick exercise

Consider a game's story using a combination of the following metaphors,

The skies of his future began to darken

Her voice is music to his ears

The ballerina was a swan, gliding across the stage

A heart of stone

Any combination of the above is permitted.

■ approx. 10 minutes...

fun game extras - load explosion images

- need to be able to define and load our images for the explosions
 - use a list for these images
 - then cycle through these explosions as required...
- our first example will use a list to simply load these explosion images
 - initially use a for loop to iterate over this directory and load our images, e.g.

```
# explosions
explosion_imgs = []

# iterate over explosion images in directory
for i in range(9):
    file = 'explosion{}.png'.format(i)
    expl_img = pygame.image.load(os.path.join(img_dir, file)).convert()
    expl_img.set_colorkey(BLACK)
    explosion_imgs.append(expl_img)
```

- use built-in function, format(), to specify abstracted value for iterator index
 - in this example abstracted for the required filename
- create our image for the Pygame window
 - set colour key to black to create our transparency for the containing shape's background
- then append these images to our list for explosions

fun game extras - create explosion sprite object - part I

- create a new class to help us represent and organise our sprite object for explosions
- add a new class for this object
 - then start by initialising this sprite, e.g.

```
# create a generic explosion sprite - use for asteroids, player explosions &c.
class Explosion(pygame.sprite.Sprite):
    # initialise sprite
    def __init__(self, center):
        pygame.sprite.Sprite.__init__(self)
        ...
```

- after initialising this new sprite object
 - set starting image for our explosions
 - set to first index position of our list for explosion images
- need to add the rectangle for this image
 - set its centre to the specified value of the passed parameter
- also set initial frame for our animation
 - we can set it to a starting default of 0

fun game extras - create explosion sprite object - part 2

- animation needs to be steady and constant
 - may create a steady framerate for the animation itself
 - now check the time in ticks for the last update
- then set a default framerate for this animation
 - modify framerate of animation to suit game requirements

```
# create a generic explosion sprite - use for asteroids, player explosions &c.
class Explosion(pygame.sprite.Sprite):
    # initialise sprite
    def __init__(self, center):
        pygame.sprite.Sprite.__init__(self)
        # specify image for explosion sprite
        self.image = explosion_imgs[0]
        # set rect for image
        self.rect = self.image.get rect()
        self.rect.center = center
        # set initial frame for animation
        self.frame = 0
        # check last update to animation
        self.last_update = pygame.time.get_ticks()
        # set framerate delay between animation frames - sets speed for explosion
        self.frame_rate = 50
```

fun game extras - create explosion sprite object - part 3

- need to add an update function to our class
 - updates image of explosion for this sprite object as time progresses
 - i.e. as the framerate advances, switch explosion images to create animation

```
# change image as time progresses for explosion sprite
def update(self):
    # get current time
    now = pygame.time.get ticks()
    # check if enough time has passed between animations
    if now - self.last update > self.frame rate:
        self.last update = now
        # if enough time passed - add 1 to frame
        self.frame += 1
        # check if end of explosion images reached
        if self.frame == len(explosion_imgs):
            # kill if end of image reached
            self.kill()
        else:
            center = self.rect.center
            self.image = explosion_imgs[self.frame]
            # update rect for image
            self.rect = self.image.get rect()
            self.rect.center = center
```

- need to check the current time in the game
 - · check if enough time has passed between each animation
- if enough time has elapsed
 - update the value for the last update time record
 - advance our animation frame by an increment of I
- then kill() animation at the end of the explosion images...

fun game extras - add explosions to collisions

- our sprite object for explosions has now been created
- now call this explosion whenever we record a collision between
 - a projectile and a mob object
 - a mob object and player object...
- in our game loop update section
 - check for collisions we can now add an animation for the explosions

```
# add more mobs for those hit and deleted by projectiles

for collision in collisions:

# calculate points relative to size of mob object

game_score += 40 - collision.radius

# play explosion sound effect for collision

explosion_effect.play()

# add animation for explosion images if collision

explosion = Explosion(collision.rect.center)

# add explosion sprite to game sprites group

game_sprites.add(explosion)

# create a new mob object

createMob()

...
```

- as we're checking for collisions, we can now
- update game score
- play a sound effect for an explosions/collision
- create the animation for the explosion effect
- •

resources

- notes = extras-part I explosions.pdf
- code = objectexplosions.py


game example

- shooter I.2.py
- add some fun explosions
 - create sprite object for explosion

- cycle through images to create explosion animation
- add explosion for each collision

Video - Shooter I.2 - Part I

add some fun explosions - mob objects



Games and dramatic elements

characters

- as we define our game's story, and the premise for its structure, gameplay,
 &c.
 - a core consideration is the nature of our game's characters
- characters form the route, conduit, or agent for a player
 - a player may experience the game through these characters
- this identification becomes an important consideration for our design
 - helps promote a sense of immersion and internalisation
- a player will often start to empathise with a character
 - their role in the game
 - their inherent need to often resolve the game's story
- from a pyschological standpoint, a dramatic character is often perceived
 - an extension of fears and desires often projected by a player &c.
- such characters will often embody certain characteristics good and bad
 - may be associated with a greater goal or need of the player
- a character may also be influenced by a game's type or genre
 - often why we encounter stereotypes &c. in certain game genres, series...
- may help lessen the need to deconstruct the game's story
 - effectively making it easier to accept the premise of the game...
- the protagonist
 - a game's main character
 - often helps drive a sense of conflict and challenge
 - by engaging with a defined problem or series of related problems
 - this sense of conflict will help drive the story
- the antagonist
 - a game's counterpoint to the main character
 - may be another character or a feature of the game's logic
 - the antagonist may be used to push back against our game's protagonist
- without this conflict and contrast

- a game will often lack the necessary dramatic counterpoint
- any semblance of depth to the gameplay will often be lacking...

Games and dramatic elements

considerations of game characters

- Characters in our games may also exhibit certain traits
 - often unique to an interactive gaming environment
- e.g. ability of a protagonist to become an agent in the game
 - and channel empathy from a player to the game
- traits of a character, in particular a game's protagonist
 - need to be considered at each stage of a game's design and development
- help us question motivation for a particular aspect of a game
 - perhaps a backstory that leads to a mini-challenge for our character
- need to consider how the character as agent enables our player to complete this mini-challenge
 - what is the justification for including this mini-challenge in our game?
- if we start to simply add challenges, conflict, or perhaps obstacles
 - without a consideration of agency or motivation
 - a game may become disjointed and lack flow for the experience
 - the story, its characters, and gameplay may not make sense to the player
- such characters need not be preconceived or developed by the game's designer
- avatars may also play a role as agent within a game
 - e.g. in Blizzard's World of Warcraft
- avatars will often be created, designed, and managed by a player
- players may invest a great deal of time, energy, and resources into such avatars
- agency and empathy provided by these characters
 - will often fuel a player's gameplay and social role in a gaming environment
 - such empathy may be increased with greater player engagement with avatars...

Games and development

quick exercise

Consider the following questions relative to perceived characters in the game you outlined for the previous exercise.

- for the game's protagonist, what do they want?
- what does the antagonist need?
- what are the hopes of the player for the protagonist?
- what are the fears of the player for the protagonist?

Video - World of Warcraft

avatars



- Original article BBC News World of Warcraft: Finding love with an online avatar
- Source YouTube

Games and dramatic elements

characters and classes in Diablo

- interesting and fun aspect of original Diablo game was use of classes for characters
- instead of simply providing a single option for the protagonist
 - Diablo provided three classes
 - classes = Rogue, Sorcerer, and the Warrior
- expanded to six classes for Diablo III with various expansion packs
- expected to increase to seven in 2017
- each character class provides different attributes, skills, and agency for the game
- not simply a matter of providing different types of characters and skills
 - allows different players to empathise in varying ways with the game
- no sense of one size fits all
 - a player is provided with different ways to enjoy and complete the game
- choice of game agent may also introduce variant paths through the game
- a player is provided with different perspectives on the story, challenges, and general gameplay
- many other games that employ a similar option for characters
 - e.g. Nintendo's Mario Kart selector...

Image - Mario Kart

select a character and kart



Games and dramatic elements

characters and emergent systems

- we may introduce emergent systems to our gaming environment
 - creating a sense of autonomous, generated gameplay and challenge
- add a semblance of free will to our characters
 - creates a noticeable variant to standard player control
- a traditional character's agency
 - may be directly influenced, monitored, and controlled by the player
- introduction of free will for certain characters
 - control limitations may no longer apply
- Al-controlled characters or emergent systems
 - may now start to exhibit examples of autonomous behaviour
- potential for interesting conflict may arise as a simple result of expectations
 - e.g. player control vs a sense of limited free will for certain characters
- The Sims Free Will

Video - The Sims 4

Free Will



■ Source - The Sims 4: The Free Will Experiment - YouTube


fun game extras - add explosions to player's ship

- add explosions to a collision with a player's ship
 - again, update game loop for these collisions

```
# add check for collision - enemy and player sprites (True = hit object is now deleted fro
collisions = pygame.sprite.spritecollide(player, mob_sprites, True, pygame.sprite.collide_
# check collisions with player's ship - decrease shield for each hit
for collision in collisions:
    # decrease player's shield for each collision
    player.stShield -= 20
    # add animation for explosion images if collision
    explosion = Explosion(collision.rect.center)
    # add explosion sprite to game sprites group
    game_sprites.add(explosion)
    # create a new mob object
    createMob()
    # check overall shield value - quit game if no shield
    if player.stShield <= 0:
        running = False</pre>
```

Video - Shooter I.2 - Part 2

add some fun explosions - player's ship



fun game extras - scale explosion images - basic scale

- still a lingering issue with these collisions and explosions...
- explosions are not reinforcing the gameplay for our shooter style game
 - no differentiation in the relative size of an explosion
 - no semblance of feedback to our player
- one option to this issue
 - perhaps add standard scale transform to image for each explosion sprite object

```
# explosions
explosion_imgs = []

# iterate over explosion images in directory
for i in range(9):
    file = 'explosion{}.png'.format(i)
        # load image from os
        expl_img = pygame.image.load(os.path.join(img_dir, file)).convert()
        # set colour key for image
        expl_img.set_colorkey(BLACK)
        # append to specified list for explosion images
        explosion_imgs.append(expl_img)
```

render a smaller, less overwhelming explosion for each collision

fun game extras - scale explosion images - relative scale - part I

- useful to be able to scale these explosions relative to the actual size of a given sprite object
 - e.g. a smaller relative explosion image for a smaller mob object
 - or, a relatively sized explosion against the player's ship
- update our class for the Explosion object
 - dynamically modify each explosion image in the animation relative to a specified size
- scale each frame of explosion animation to match the size of the collison object, e.g.

```
# create a generic explosion sprite - use for asteroids, player explosions &c.
class Explosion(pygame.sprite.Sprite):
    # initialise sprite
    def __init__(self, center, size):
        pygame.sprite.Sprite.__init__(self)
        # specify size for explosion sprite
        self.size = size
        # get initial image for explosion
        self.image = pygame.transform.scale(explosion_imgs[0], self.size)
...
```

- start by adding a parameter for size
 - pass a variable size for each collision object
- use this size to scale the initial image for the explosion animation

fun game extras - scale explosion images - relative scale - part 2

 each frame of the animation will also require scaling of the explosion image, e.g.

```
# change image as time progresses for explosion sprite
def update(self):
    # get current time
    now = pygame.time.get ticks()
    # check if enough time has passed between animations
    if now - self.last update > self.frame rate:
        self.last_update = now
        # if enough time passed - add 1 to frame
        self.frame += 1
        # check if end of explosion images reached
        if self.frame == len(explosion_imgs):
            # kill if end of image reached
            self.kill()
            center = self.rect.center
            self.image = pygame.transform.scale(explosion_imgs[self.frame], self.size)
            # update rect for image
            self.rect = self.image.get_rect()
            self.rect.center = center
```

- as we output each frame of the explosion animation
 - scale this image to match the passed size for the explosion object

fun game extras - scale explosion images - dynamic collision size

- different size mob objects will have a matching explosion animation
 - update in the game loop, e.g.

```
# add check for sprite group collide with another sprite group - projectiles hitting enemy
collisions = pygame.sprite.groupcollide(mob_sprites, projectiles, True, True)
# add more mobs for those hit and deleted by projectiles
for collision in collisions:
    # calculate points relative to size of mob object
    game score += 40 - collision.radius
    # play explosion sound effect for collision
    explosion effect.play()
    # get size of collision object
    col_size = collision.rect.size
    #print("collision size = " + str(col_size))
    # add animation for explosion images if collision
    explosion = Explosion(collision.rect.center, col_size)
    # add explosion sprite to game sprites group
    game sprites.add(explosion)
    # create a new mob object
    createMob()
```

same for the player's object...

resources

- notes = extras-part I explosions.pdf
- code = objectexplosions2.py

game example

- shooter1.2.py
- add some fun explosions
 - create sprite object for explosion
 - cycle through images to create explosion animation
 - add explosion for each collision
- extra explosions
 - explode a player's ship for a collision
- scale explosions
 - rescale and size explosions in game window

Video - Shooter I.2 - Part 3

scale explosions




Image - Journey



Source - ThatGameCompany

Demos

- pygame fun game extras
 - repetitivefiring.py
 - objectexplosions I.py
 - objectexplosions2.py
- pygame Game I Example
 - shooter I.2.py

Games

- Diablo Wikipedia
- Diablo III console
- World of Warcraft

Game notes

- Pygame
 - extras-part I -explosions.pdf
- Game examples
 - Shooter.pdf

References

- Bogost, I. Persuasive Games: The Expressive Power of Videogames. MIT Press.
 Cambridge, MA. 2007.
- Bogost, I, The Rhetoric of Video Games. in The Ecology of Games... Salen, E.
 MIT Press. Cambridge, MA. 2008.
- Bogost, I. Unit Operations: An Approach to Videogame Criticism. MIT Press.
 Cambridge, MA. 2006.
- Csikszentmihalyi, M. Flow: The Psychology of Optimal Experience. Harper & Row. New York. 1990.
- Huizinga, J. Homo Ludens: A Study of the Play-Element in Culture. Angelico Press. 2016.
- Murray, J. Hamlet on the Holodeck: The Future of Narrative in Cyberspace.
 Free Press. New York. 1997.
- Poundstone, W. Prisoner's Dilemma. Touchstone. New York. 2002.
- Salen, K. & Zimmerman, E. Rules of Play: Game Design Fundamentals. MIT Press. 2003.
- Various
 - BBC News World of Warcraft: Finding love with an online avatar
 - Dubspot Electronic Music Production and DJ School
 - The Sims Free Will
 - ThatGameCompany Hiring